


Cutting Tools

REAMERS

WC=90 Co=10 HV30 = 1571 Rupture=3750N/mm² Grain Size=0.6μm



RMR - Uncoating


| MODE | Diameter d | Flute Length l | Full Length L |
|---------|---------------|-------------------|------------------|
| RMR 010 | 1.0 | 6 | 34 |
| RMR 011 | 1.1 | 7 | 36 |
| RMR 012 | 1.2 | 7 | 38 |
| RMR 013 | 1.3 | 7 | 38 |
| RMR 014 | 1.4 | 8 | 40 |
| RMR 015 | 1.5 | 8 | 40 |
| RMR 016 | 1.6 | 9 | 43 |
| RMR 017 | 1.7 | 9 | 43 |
| RMR 018 | 1.8 | 10 | 46 |
| RMR 019 | 1.9 | 10 | 46 |
| RMR 020 | 2.0 | 11 | 49 |
| RMR 021 | 2.1 | 11 | 49 |
| RMR 022 | 2.2 | 12 | 53 |
| RMR 023 | 2.3 | 12 | 53 |
| RMR 024 | 2.4 | 14 | 57 |
| RMR 025 | 2.5 | 14 | 57 |
| RMR 026 | 2.6 | 14 | 57 |
| RMR 027 | 2.7 | 15 | 61 |
| RMR 028 | 2.8 | 15 | 61 |
| RMR 029 | 2.9 | 15 | 61 |
| RMR 030 | 3.0 | 15 | 61 |
| RMR 031 | 3.1 | 16 | 65 |
| RMR 032 | 3.2 | 16 | 65 |
| RMR 033 | 3.3 | 16 | 65 |
| RMR 034 | 3.4 | 18 | 70 |
| RMR 035 | 3.5 | 18 | 70 |
| RMR 036 | 3.6 | 18 | 70 |
| RMR 037 | 3.7 | 18 | 70 |
| RMR 038 | 3.8 | 19 | 75 |
| RMR 039 | 3.9 | 19 | 75 |
| RMR 040 | 4.0 | 19 | 75 |
| RMR 041 | 4.1 | 19 | 75 |
| RMR 042 | 4.2 | 19 | 75 |
| RMR 043 | 4.3 | 21 | 80 |
| RMR 044 | 4.4 | 21 | 80 |
| RMR 045 | 4.5 | 21 | 80 |
| RMR 046 | 4.6 | 21 | 80 |



Cutting Tools

REAMERS

WC=90 Co=10 HV30 = 1571 Rupture=3750N/mm² Grain Size=0.6µm



RMR - Uncoating


| MODE | Diameter d | Flute Length l | Full Length L |
|---------|---------------|-------------------|------------------|
| RMR 047 | 4.7 | 21 | 80 |
| RMR 048 | 4.8 | 23 | 86 |
| RMR 049 | 4.9 | 23 | 86 |
| RMR 050 | 5.0 | 23 | 86 |
| RMR 051 | 5.1 | 23 | 86 |
| RMR 052 | 5.2 | 23 | 86 |
| RMR 053 | 5.3 | 23 | 86 |
| RMR 054 | 5.4 | 26 | 93 |
| RMR 055 | 5.5 | 26 | 93 |
| RMR 056 | 5.6 | 26 | 93 |
| RMR 057 | 5.7 | 26 | 93 |
| RMR 058 | 5.8 | 26 | 93 |
| RMR 059 | 5.9 | 26 | 93 |
| RMR 060 | 6.0 | 26 | 93 |
| RMR 061 | 6.1 | 28 | 101 |
| RMR 062 | 6.2 | 28 | 101 |
| RMR 063 | 6.3 | 28 | 101 |
| RMR 064 | 6.4 | 28 | 101 |
| RMR 065 | 6.5 | 28 | 101 |
| RMR 066 | 6.6 | 28 | 101 |
| RMR 067 | 6.7 | 31 | 101 |
| RMR 068 | 6.8 | 31 | 109 |
| RMR 069 | 6.9 | 31 | 109 |
| RMR 070 | 7.0 | 31 | 109 |
| RMR 071 | 7.1 | 31 | 109 |
| RMR 072 | 7.2 | 31 | 109 |
| RMR 073 | 7.3 | 31 | 109 |
| RMR 074 | 7.4 | 31 | 109 |
| RMR 075 | 7.5 | 31 | 109 |
| RMR 076 | 7.6 | 33 | 117 |
| RMR 077 | 7.7 | 33 | 117 |
| RMR 078 | 7.8 | 33 | 117 |
| RMR 079 | 7.9 | 33 | 117 |
| RMR 080 | 8.0 | 33 | 117 |
| RMR 081 | 8.1 | 33 | 117 |
| RMR 082 | 8.2 | 33 | 117 |
| RMR 083 | 8.3 | 33 | 117 |



Cutting Tools

REAMERS

WC=90 Co=10 HV30 = 1571 Rupture=3750N/mm² Grain Size=0.6μm



RMR - Uncoating

| MODE | Diameter d | Flute Length l | Full Length L |
|---------|---------------|-------------------|------------------|
| RMR 084 | 8.4 | 33 | 117 |
| RMR 085 | 8.5 | 33 | 117 |
| RMR 086 | 8.6 | 36 | 125 |
| RMR 087 | 8.7 | 36 | 125 |
| RMR 088 | 8.8 | 36 | 125 |
| RMR 089 | 8.9 | 36 | 125 |
| RMR 090 | 9.0 | 36 | 125 |
| RMR 091 | 9.1 | 36 | 125 |
| RMR 092 | 9.2 | 36 | 125 |
| RMR 093 | 9.3 | 36 | 125 |
| RMR 094 | 9.4 | 36 | 125 |
| RMR 095 | 9.5 | 36 | 125 |
| RMR 096 | 9.6 | 38 | 133 |
| RMR 097 | 9.7 | 38 | 133 |
| RMR 098 | 9.8 | 38 | 133 |
| RMR 099 | 9.9 | 38 | 133 |
| RMR 100 | 10.0 | 38 | 133 |
| RMR 101 | 10.1 | 38 | 133 |
| RMR 102 | 10.2 | 38 | 133 |
| RMR 103 | 10.3 | 38 | 133 |
| RMR 104 | 10.4 | 38 | 133 |
| RMR 105 | 10.5 | 38 | 133 |
| RMR 106 | 10.6 | 38 | 133 |
| RMR 107 | 10.7 | 41 | 142 |
| RMR 108 | 10.8 | 41 | 142 |
| RMR 109 | 10.9 | 41 | 142 |
| RMR 110 | 11.0 | 41 | 142 |
| RMR 111 | 11.1 | 41 | 142 |
| RMR 112 | 11.2 | 41 | 142 |
| RMR 113 | 11.3 | 41 | 142 |
| RMR 114 | 11.4 | 41 | 142 |
| RMR 115 | 11.5 | 41 | 142 |
| RMR 116 | 11.6 | 41 | 142 |
| RMR 117 | 11.7 | 41 | 142 |
| RMR 118 | 11.8 | 41 | 142 |
| RMR 119 | 11.9 | 44 | 151 |
| RMR 120 | 12.0 | 44 | 151 |

